

Case packers of the VP Series

Application Tray / wrap-around / tray with lid



VP 452 VP 453

- Product lifting into the lid
- Lid formation possible with and without product
- Modular construction
- Highly flexible
- Fast format changeovers

Machine type
VP 452 / VP 453



Lifting into the lid



Lowering into the tray



Machine type VP 453

Technical data


| TYPE | OUTPUT (max.) |
|--------|------------------|
| VP 452 | 25 cycles/minute |
| VP 453 | 25 cycles/minute |

Technical specifications


| | |
|---------------------|-------------------------------------|
| Blank length | 360–1,000 mm |
| Blank width | 300–700 mm |
| Tray edge height | 40–350 mm |
| Electrical controls | Siemens S7 / Rockwell Control Logix |
| Compressed air | 6 bar |
| Weight | 3,500–5,000 kg |
| Active output | 16–25 kW |
| Voltage | 230/400 V 50 Hz |
| Product length | 200–400 mm |
| Product width | 100–300 mm |
| Product height | 80–350 mm |




Pressing station and discharge of the index chain



Top view of the machine type VP 452
Side view of the machine type VP 452



Top view of the machine type VP 453
Side view of the machine type VP 453



Packaging options



Products such as bottles (PET and glass), cups, bags, folding boxes and blister packs can be packed on the VP 452 and VP 453 case packers.

Types of products

Meypack
 Verpackungssystemtechnik GmbH

Industriestraße 3
 D-48301 Nottuln-Appelhülsen
 Tel.: +49(0)2509-940
 Fax: +49(0)2509-948190
 info@meypack.de
 www.meypack.com